

System

System information

`uname -a` Displays all system information.
`hostnamectl` Shows current hostname and related details.
`lscpu` Lists CPU architecture information.
`timedatectl status` Shows system time.

System monitoring and management

`top` Displays real-time system processes.
`htop` An interactive process viewer (needs installation).
`df -h` Shows disk usage in a human-readable format.
`free -m` Displays free and used memory in MB.
`kill <process id>` Terminates a process.

Running commands

`<command> &` Runs command in the background.
`jobs` Displays background commands.
`fg <command number>` Brings command to the foreground.

Service management

`sudo systemctl start <service>` Starts a service.
`sudo systemctl stop <service>` Stops a service.
`sudo systemctl status <service>` Checks the status of a service.
`sudo systemctl reload <service>` Reloads a service's configuration without interrupting its operation.
`journalctl -f` Follows the journal, showing new log messages in real time.
`journalctl -u <unit_name>` Displays logs for a specific systemd unit.

Cron jobs and scheduling

`crontab -e` Edits cron jobs for the current user.
`crontab -l` Lists cron jobs for the current user.

Files

File management

`ls` Lists files and directories.
`touch <filename>` Creates an empty file or updates the last accessed date.
`cp <source> <destination>` Copies files from source to destination.
`mv <source> <destination>` Moves files or renames them.
`rm <filename>` Deletes a file.

Directory navigation

`pwd` Displays the current directory path.
`cd <directory>` Changes the current directory.
`mkdir <dirname>` Creates a new directory.

File permissions and ownership

`chmod [who][+/-][permissions] <file>` Changes file permissions.
`chmod u+x <file>` Makes a file executable by its owner.
`chown [user]:[group] <file>` Changes file owner and group.

Searching and finding

`find [directory] -name <search_pattern>` Finds files and directories.
`grep <search_pattern> <file>` Searches for a pattern in files.

Archiving and compression

`tar -czvf <name.tar.gz> [files]` Compresses files into a tar.gz archive.
`tar -xvf <name.tar.[gz|bz|xz]> [destination]` Extracts a compressed tar archive.

Text editing and processing

`nano <file>` Opens a file in the Nano text editor.
`cat <file>` Displays the contents of a file.
`less <file>` Displays the paginated content of a file.
`head <file>` Shows the first few lines of a file.
`tail <file>` Shows the last few lines of a file.
`awk '{print}' <file>` Prints every line in a file.

Packages

Package management (APT)



```
sudo apt install <package> Installs a package.
sudo apt install -f --reinstall <package> Reinstalls a broken package.
apt search <package> Searches for APT packages.
apt-cache policy <package> Lists available package versions.
sudo apt update Updates package lists.
sudo apt upgrade Upgrades all upgradable packages.
sudo apt remove <package> Removes a package.
sudo apt purge <package> Removes a package and all its configuration files.
```

Package management (Snap)



```
snap find <package> Search for Snap packages.
sudo snap install <snap_name> Installs a Snap package.
sudo snap remove <snap_name> Removes a Snap package.
sudo snap refresh Updates all installed Snap packages.
snap list Lists all installed Snap packages.
snap info <snap_name> Displays information about a Snap package.
```

Users and groups

User management

```
w Shows which users are logged in.
sudo adduser <username> Creates a new user.
sudo deluser <username> Deletes a user.
sudo passwd <username> Sets or changes the password for a user.
su <username> Switches user.
sudo passwd -l <username> Locks a user account.
sudo passwd -u <username> Unlocks a user password.
sudo chage <username> Sets user password expiration date.
```

Group management

```
id [username] Displays user and group IDs.
groups [username] Shows the groups a user belongs to.
sudo addgroup <groupname> Creates a new group.
sudo delgroup <groupname> Deletes a group.
```

Networking

Networking

```
ip addr show Displays network interfaces and IP addresses.
ip -s link Shows network statistics.
ss -l Shows listening sockets.
ping <host> Pings a host and outputs results.
```

Netplan configuration (read more at netplan.io)

```
cat /etc/netplan/*.yaml Displays the current Netplan configuration.
sudo netplan try Tests a new configuration for a set period of time.
sudo netplan apply Applies the current Netplan configuration.
```

Firewall management

```
sudo ufw status Displays the status of the firewall.
sudo ufw enable Enables the firewall.
sudo ufw disable Disables the firewall.
sudo ufw allow <port/service> Allows traffic on a specific port or service.
sudo ufw deny <port/service> Denies traffic on a specific port or service.
sudo ufw delete allow/deny <port/service> Deletes an existing rule.
```

SSH and remote access

```
ssh <user@host> Connects to a remote host via SSH.
scp <source> <user@host>:<destination> Securely copies files between hosts.
```

LXD

LXD is a modern, secure and powerful tool that provides a unified experience for running and managing containers or virtual machines. Visit canonical.com/lxd for more information.

`lxd init` initializes LXD before first use

Creating instances

`lxc init ubuntu:24.04 <container name>` Creates lxc system container (without starting it).

`lxc launch ubuntu:24.04 <container name>` Creates and starts a lxc system container.

`lxc launch ubuntu:24.04 <vm name> --vm` Creates and starts a virtual machine.

Managing instances

`lxc list` Lists instances.

`lxc info <instance>` Shows status information about an instance.

`lxc start <instance>` Starts an instance.

`lxc stop <instance> [--force]` Stops an instance.

`lxc delete <instance> [--force|--interactive]` Deletes an instance.

Accessing instances

`lxc exec <instance> -- <command>` Runs a command inside an instance.

`lxc exec <instance> -- bash` Gets shell access to an instance (if bash is installed).

`lxc console <instance> [flags]` Gets console access to an instance.

`lxc file pull <instance>/<instance_filepath> <local_filepath>` Pulls a file from an instance.

`lxc file push <local_filepath> <instance>/<instance_filepath>` Pushes a file to an instance.

Using projects

`lxc project create <project> [--config <option>]` Creates a project.

`lxc project set <project> <option>` Configures a project.

`lxc project switch <project>` Switches to a project.

Ubuntu Pro

Ubuntu Pro delivers up to 12 years of security coverage, expanding Ubuntu's Long Term Support (LTS) commitment and adding management and compliance tooling. Visit ubuntu.com/pro to register for free on up to five machines.

Activating Ubuntu Pro

`sudo pro attach <token>` Attaches your machine to Ubuntu Pro using a specific token. This token is provided when you subscribe to Ubuntu Pro.

Managing services

`sudo pro status` Displays the status of all Ubuntu Pro services.

`sudo pro enable <service>` Enables a specific Ubuntu Pro service, like ESM, FIPS, or Livepatch.

`sudo pro disable <service>` Disables a specific Ubuntu Pro service.

Extended Security Maintenance (ESM)

`sudo pro enable esm-infra` Activates Extended Security Maintenance for infrastructure packages, providing security updates beyond the standard release cycle.

`sudo pro enable esm-apps` Activates ESM for applications, extending security coverage for specific applications.

Livepatch service

`sudo pro enable livepatch` Enables the Livepatch service, which applies critical kernel patches without rebooting.

FIPS mode

`sudo pro enable fips` Enables FIPS (Federal Information Processing Standards) mode, enforcing strict cryptographic standards and practices.

Updating configuration

`sudo pro refresh` Refreshes the Ubuntu Pro state to ensure the latest configuration and services are in place.

Detaching Ubuntu Pro

`sudo pro detach` Detaches the machine from Ubuntu Pro, disabling all services.